

Waiting Shelters



WHATEVER YOUR REQUIREMENTS WE CAN **DESIGN, MANUFACTURE AND INSTALL**



VISITS SURVEYS
& FREE QUOTES



MADE TO
MEASURE



ALL YEAR
ROUND USE



UK WIDE
SERVICE



FREE DRAWINGS &
3D VISUALISATION



AFTER SALES
SERVICE

NBB
School
Shelters

FREephone: 0800 1777 052

FREEFAX: 0800 1777 053



Need a site survey or quote?
Call us on 0800 1777 052

Model Shown: QNUMB4AZC

Bloxworth Waiting Shelter

An umbrella shaped waiting shelter

- A unique shelter that gives maximum coverage but uses minimum surface area
- Heavy duty steel construction ensures structure resistance
- Shelter provides needed shade and protection from wet weather
- Polycarbonate roof has a 10 year UV resistant coating
- Seating and Table options available

Specifications:

Frame:

- Mild steel, shot blasted, zinc coated and polyester epoxy powder coated
- 40 x 20mm rectangular mild steel glazed frame
- Maintenance free for 10 years and life maintained for 25 years

Roof:

- Steel frame for roof glazing and support
 - Glazing made of 4mm polycarbonate
 - Tinted panels available to provide protection from harmful UV rays
- Call **0800 1777 052** for a quotation

Table/Seating

- Manufactured from pressurised timber

Configurations and Assembly:

- Preparation Required: 1m deep hole required to be filled with concrete (Allow one week for concrete to cure before assembly)
- Supplied with full assembly instructions
- Can be self assembled or installed by our installation team

Free Site Surveys



We offer FREE surveys to all UK Mainland Schools and Educational establishments. Whether you are looking for advice to a full site survey including measurements of your area, we are happy to either discuss your options over the telephone or send one of our surveyors out to visit you.

Installation Service



Our in-house installation team have over 15 years experience and are all members of the Construction Skills Certification Scheme (CSCS). From ground works to full installation, our installers are reliable, responsible and will ensure your area is left clean and tidy once the installation is complete ensuring that minimal disruption is caused to your day.

Code	Description	H x W (mm)	Pole Dia (mm)
QNUMB4ZC	Shelter Only	2300 x 4000	139.7
QNUMB5ZC	Shelter Only	2300 x 4732	139.7
QNUMB4AZC	Shelter with Timber Seating	2300 x 4000	139.7
QNUMB5AZC	Shelter with Timber Seating	2300 x 4732	139.7
QNUMB4BZC	Shelter with Timber Seating & Table	2300 x 4000	139.7
QNUMB5BZC	Shelter with Timber Seating & Table	2300 x 4732	139.7



Need a Site Survey?
Call us on 0800 1777 052
to speak to our Sales Team.

Available in 8 standard colours >>>

Black
RAL9005

Silver
RAL9006

White
RAL9003

Umbra Grey
RAL7022

Red
RAL3020

Yellow
RAL1021

Green
RAL6026

Blue
RAL5002



Model Shown: Bespoke Size

Bloxworth Multipurpose **NEW!** Waiting Shelter

Provide cover from the elements for your staff, pupils and parents

- A stylish and modern shelter perfect for use as a parent waiting area
- Can be used for a wide variety of applications from a Waiting Shelter to a Smoking or Cycle Shelter
- 4mm polycarbonate roof panels protects pupils, staff and parents from all weather conditions
- Suitable for playgrounds, parent waiting areas, use as an outdoor classroom and many more applications

Specifications:

Frame:

- Mild steel shot blasted, zinc coated and polyester epoxy powder coated
- 139.7mm round hollow tube uprights
- 40 x 20mm rectangular mild steel tube glazed frame
- Available in 8 standard colours (see below). All other RAL colours available on special order

Glazing:

- 4mm polycarbonate

Configurations and Assembly:

- Supplied flat packed on a pallet with full assembly instructions
- Can be self assembled or installed by our installation team. Call **0800 1777 052** for a quotation



Free Site Surveys



We offer FREE surveys to all UK Mainland Schools and Educational establishments. Whether you are looking for advice to a full site survey including measurements of your area, we are happy to either discuss your options over the telephone or send one of our surveyors out to visit you.

Installation Service



Our in-house installation team have over 15 years experience and are all members of the Construction Skills Certification Scheme (CSCS). From ground works to full installation, our installers are reliable, responsible and will ensure your area is left clean and tidy once the installation is complete ensuring that minimal disruption is caused to your day.

Code	Description	Storage Capacity	H x W x D (mm)
QNCAS02ZC	Multi-Purpose Shelter	-	2300 x 7500 x 4020
QNCAS03ZC	Multi-Purpose Shelter	-	2300 x 9090 x 4723



Model Shown: QNCWN4ZC

Holton Waiting Shelter

Stylish curved design waiting shelter

- Stylish, curved design provides protection from adverse weather from both the back and above once positioned correctly
- Gives a good area of rain shelter on wet days and UV stabilised polycarbonate roof ensures it will not discolour in the sun
- Can be used for a variety of applications such as a smoking shelter, parent/staff waiting area, spectator viewing area, or designated break time area
- Steel structure ensures shelter is hard wearing and long lasting
- This modular shelter is infinitely adaptable to suit any location
- Versatile shelter supplied as freestanding and is suitable for concrete, tarmac, paving slab or block brick slabs

Specifications:

Frame:

- Mild Steel construction, shot blasted, zinc coated and polyester epoxy powder coated
- 40mm square hollow tube
- Available in 8 standard colours (see below). All other RAL colours available on special order
- Maintenance free for 5 years and life maintained for 25 years

Glazing:

- 4mm polycarbonate, face fixed to frame

Configurations and Assembly:

- Delivered on a pallet with full assembly instructions
- Assembly time is approx. 1 hour for 2 qualified workmen
- Supplied with full assembly instructions
- Can be self assembled or installed by our installation team. Call us on **0800 1777 052** for a quotation



Free Site Surveys



We offer FREE surveys to all UK Mainland Schools and Educational establishments. Whether you are looking for advice to a full site survey including measurements of your area, we are happy to either discuss your options over the telephone or send one of our surveyors out to visit you.

Installation Service



Code	Description	H x W x D (mm)
QNCWN2ZC	5 People	2419 x 2000 x 1969
QNCWN3ZC	8 People	2419 x 3000 x 1969
QNCWN4ZC	10 People	2419 x 4000 x 1969
QNCWN5ZC	13 People	2419 x 5000 x 1969
QNCWNEND	-	End Panel

Available in 8 standard colours >>>

Black
RAL9005

Silver
RAL9006

White
RAL9003

Umbra Grey
RAL7022

Red
RAL3020

Yellow
RAL1021

Green
RAL6026

Blue
RAL5002



Model Shown: QNWS811FS

Sandford Waiting Shelter

Offers an effective solution for providing protection from all weathers

- Simple yet attractive design ensures shelter can adapt to suit any location
- Aluminium frame is light and long lasting (100% corrosion resistant)
- Fibreglass roof provides maximum coverage from all weather conditions
- Suitable for use as a parent or visitor waiting area

Specifications:

Frame:

- 38mm aluminium, acid etched and polyester epoxy powder coated
- 40mm Square hollow tube
- Maintenance free for 15 years and life maintained for 25 years
- Available in 7 standard colours (see below). All other RAL colours available on special order
- Please note, back to wall versions do not include back panels

Domed Roof:

- High impact fibreglass

Glazing:

- 6mm acrylic with concealed fixings
- Face fixed to frame

Configurations and Assembly:

- 16 standard configurations
- Delivered flat packed and supplied with full assembly instructions
- Assembly time when the base has been prepared is typically 4 - 6 hours for 2 qualified workmen



QNWS811FS

Capacity	H x W x D (mm)	Freestanding Code	Back to Wall Code
3 People	2250 x 2110 x 1074	QNWS48FS	QNWS48BW
4 People	2250 x 3146 x 1074	QNWS412FS	QNWS412BW
6 People	2250 x 4182 x 1074	QNWS416FS	QNWS416BW
7 People	2250 x 5218 x 1074	QNWS420FS	QNWS420BW
6 People	2400 x 2110 x 2110	QNWS88FS	QNWS88BW
8 People	2400 x 3146 x 2110	QNWS811FS	QNWS811BW
11 People	2400 x 4182 x 2110	QNWS816FS	QNWS816BW
14 People	2400 x 5218 x 2110	QNWS820FS	QNWS820BW



Winterbourne Waiting Shelter

Heavy duty frame provides long lasting protection from all weather conditions

- Stylish design can be used in a variety of locations such as universities, industrial estates and park and rides
- Multi-tubular steel frame gives maximum strength
- 10mm thick polycarbonate roof provides premium durability and resistance
- UV stabilised polycarbonate will prevent it from turning yellow and brittle
- Polyester coating gives a high quality finish which is easily cleaned and will not rust



Specifications:

Frame:

- 2mm box section steel tube frame
- Entire frame is 2 inch primed and polyester powder coated
- Available in 8 standard colours (see below) All other RAL colours available on special order

Roof:

- Roof is 10mm cellular polycarbonate with 10 years UV resistant coating

Configurations and Assembly:

- Delivered with full assembly instruction
- Can be self assembled or installed by our team of professional shelter fitters
- Supported by under-surface fixing base that is secured in place prior to assembly
- Preparation required: 0.5m hole per leg required to be filled with concrete (Allow one week for concrete to cure before assembly). Hole diameter will differ depending on shelter configuration.
- All fixings zinc plated



Code	Capacity	H x W x D (mm)
QNHWT33ZC	11 People	2542 x 3000 x 2824
QNHWT43ZC	14 People	2542 x 4000 x 2824
QNHWT34ZC	18 People	2542 x 3000 x 3736
QNHWT44ZC	24 People	2542 x 4000 x 3736
QNHWT54ZC	30 People	2542 x 5000 x 3736

Available in 8 standard colours >>>

Black
RAL9005

Silver
RAL9006

White
RAL9003

Umbra Grey
RAL7022

Red
RAL3020

Yellow
RAL1021

Green
RAL6026

Blue
RAL5002

Kimmeridge Dug Out

NEW!

Perfect for school playing fields

- Ideal for use as a team or spectator shelter
- Available in two sizes; 6 seater and 12 seater
- Steel manufactured frame, available in 8 standard colours
- Supplied complete with blue plastic seating (for different colours please call us on **0800 1777 052**)
- Delivered flat packed with full assembly instructions
- Can be self assembled or assembled by our installation team. Call **0800 1777 052** for a free quotation



Code	No. of Seats	H x W x D (mm)
QNKDG01	6	2100 x 2035 x 2000
QNKDG02	12	2100 x 4030 x 2000



Model Shown: QNKDG01

Holton Dug Out

Suitable for use as a spectator or team shelter

- Provides great shelter on wet days for spectator or team players
- Suitable to install onto concrete areas
- Supplied with benches
- Available in 2 sizes, but can be extended to suit your requirements
- Steel manufactured frame, available in 8 standard colours
- Delivered flat packed with full assembly instructions
- Can be self assembled or assembled by our installation team. Call **0800 1777 052** for a free quotation



Code	No. Benches	H x W x D (mm)
QNSTS01ZC	6	2419 x 3000 x 1969
QNSTS02ZC	8	2419 x 4000 x 1969



Model Shown: QNSTS01ZC

Available in 8 standard colours >>>

Black
RAL9005

Silver
RAL9006

White
RAL9003

Umbra Grey
RAL7022

Red
RAL3020

Yellow
RAL1021

Green
RAL6026

Blue
RAL5002



Bloxworth Shade Shelter with Fabric Roof

Unique umbrella shaped shelter perfect for using in school playgrounds

- Comes in many options including Seating & Table options
- Waterproof PVC roof suitable for all weathers
- Provides sunshade for outside your school premises

Specifications:

Frame:

- Mild steel construction with 100mm round hollow tube upright
- 40 x 20mm rectangular mild steel glazed frame
- Available in 8 standard colours (see below). All other RAL colours available on special order

Seating/Table:

- Manufactured from pressurised timber

Roof:

- Steel frame for roof glazing and support
- 100% waterproof and manufactured from PVC. Available in Blue, Royal Blue, White, Green, Black and Beige. Please specify which colour you require for the roof cover when ordering

Configuration & Assembly:

- Preparation required: 1m deep hole required to be filled with concrete (allow one week for concrete to cure before assembly)
- Supplied with full assembly instructions
- Can be self assembled or installed by our installation team

Code	Description	H x W (mm)	Pole Dia. (mm)
QNUMS02	Shelter Only	2300 x 4000	139.7
QNUMS03	Shelter Only	2300 x 4723	139.7
QNUMS04	Shelter with Timber Seating	2300 x 4000	139.7
QNUMS05	Shelter with Timber Seating	2300 x 4723	139.7
QNUMS06	Shelter with Timber Seating & Table	2300 x 4000	139.7
QNUMS07	Shelter with Timber Seating & Table	2300 x 4723	139.7



Bloxworth Shade Shelter with Tinted Roof

Perfect for school playgrounds and break areas

- Bronze tinted polycarbonate roof provides maximum sunshade for your outside areas
- Comes in many options including Seating & Table options
- Ideal for many applications from school playgrounds to crèches, universities and colleges

Specifications:

Frame:

- Mild steel construction with 139.7mm round hollow tube upright
- 40 x 20mm rectangular mild steel glazed frame
- Available in 8 standard colours (see below). All other RAL colours available on special order

Seating/Table:

- Manufactured from pressurised timber

Roof:

- Steel frame for roof glazing and support
- 4mm polycarbonate with bronze tint

Configuration & Assembly:

- Preparation required: 1m deep hole required to be filled with concrete (allow one week for concrete to cure before assembly)
- Supplied with full assembly instructions
- Can be self assembled or installed by our installation team

Code	Description	H x W (mm)	Pole Dia. (mm)
QNUMT02	Shelter Only	2300 x 4000	139.7
QNUMT03	Shelter Only	2300 x 4723	139.7
QNUMT04	Shelter with Timber Seating	2300 x 4000	139.7
QNUMT05	Shelter with Timber Seating	2300 x 4723	139.7
QNUMT06	Shelter with Timber Seating & Table	2300 x 4000	139.7
QNUMT07	Shelter with Timber Seating & Table	2300 x 4723	139.7